



Wellmark Blue Cross and Blue Shield is an independent licensee of the Blue Cross and Blue Shield Association.

## DRUG POLICY

# Viscosupplementation for Osteoarthritis

### NOTICE

This policy contains information which is clinical in nature. The policy is not medical advice. The information in this policy is used by Wellmark to make determinations whether medical treatment is covered under the terms of a Wellmark member's health benefit plan. Physicians and other health care providers are responsible for medical advice and treatment. If you have specific health care needs, you should consult an appropriate health care professional. If you would like to request an accessible version of this document, please contact customer service at 800-524-9242.

### BENEFIT APPLICATION

Benefit determinations are based on the applicable contract language in effect at the time the services were rendered. Exclusions, limitations or exceptions may apply. Benefits may vary based on contract, and individual member benefits must be verified. Wellmark determines medical necessity only if the benefit exists and no contract exclusions are applicable. This policy may not apply to FEP. Benefits are determined by the Federal Employee Program.

### DESCRIPTION

The intent of the Viscosupplementation for Osteoarthritis drug policy is to ensure appropriate selection of patients for therapy based on product labeling, clinical guidelines and clinical studies while steering utilization to the most cost-effective medication within the therapeutic class. For this program, Orthovisc, Euflexxa, and Monovisc are the preferred products. The criteria will require the use of the health plan's preferred products before the use of targeted products (Durolane, Gel-One, Gelsyn-3, Genvisc 850, Hyalgan, Hymovis, sodium hyaluronate inj 20mg/2mL, Supartz FX, Synjoynt, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3), unless there are clinical circumstances that exclude the use of the preferred products and may be based on previous use of a product. While multiple brands of viscosupplementation are commercially available, there is no evidence, to date, that any have superior efficacy or safety.

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

#### FDA-Approved Indication

Treatment of pain in osteoarthritis of the knee in patients who have failed to respond adequately to conservative non-pharmacologic therapy and simple analgesics (e.g., acetaminophen)

Table. Hyaluronate products

Medication	Generic Name
<b>Preferred Products:</b>	
Orthovisc	high molecular weight hyaluronan
Euflexxa	1% sodium hyaluronate
Monovisc	high molecular weight hyaluronan
<b>Targeted Products:</b>	
Durolane	hyaluronic acid
Gel-One	cross-linked hyaluronate
Gelsyn-3	sodium hyaluronate
Genvisc 850	sodium hyaluronate
Hyalgan	sodium hyaluronate
Hymovis	high molecular weight viscoelastic hyaluronan
sodium hyaluronate inj 20mg/2mL (manufactured by Teva)	sodium hyaluronate
Supartz FX	sodium hyaluronate
Synjoynt	sodium hyaluronate
Synvisc	hylan G-F 20
Synvisc One	hylan G-F 20
Triluron	sodium hyaluronate
TriVisc	sodium hyaluronate
Visco-3	sodium hyaluronate

## POLICY

Must meet BOTH the Preferred Drug Plan Design (for the specific drug) and Criteria for Initial Approval/Continuation of Therapy when both are applicable.

### Preferred Drug Plan Design

- I. Coverage for a targeted product is provided when either of the following criteria is met:
  - A. Member is currently undergoing treatment and coverage is required to complete the current course of treatment.
    - Number of injections per treatment course
      - Gelsyn-3: 3 injections (2 mL each, 6 mL total) per 180 day course
      - GenVisc 850: 3 to 5 injections (2.5 mL each; 12.5 mL total) per 180 day course

- Hyalgan: 3 to 5 injections (2 mL each; 10 mL total) per 180 day course
  - Hymovis: 2 injections (3 mL each; 6 mL total) per 180 day course
  - sodium hyaluronate inj 20mg/2mL: 3 injections per 180 day course
  - Supartz FX: 3 to 5 injections (2.5 mL each; 12.5 mL total) per 180 day course
  - Synjoyn: 3 injections per 180 day course
  - Synvisc: 3 injections (2 mL each; 6 mL total) per 180 day course
  - Triluron: 3 injections (2 mL each; 6 mL total) per 180 day course
  - TriVisc: 3 injections (2.5 mL each, 7.5 mL total) per 180 day course
  - Visco-3: 3 injections (2.5 mL each, 7.5 mL total) per course
- B. Member has tried and experienced an intolerable adverse event to ALL of the preferred products:  
a) Orthovisc, b) Euflexxa, c) Monovisc.

#### Initial Criteria for Approval

- I. Authorization of 12 months may be granted for treatment of osteoarthritis (OA) in the knee when all of the following criteria are met:
- A. The diagnosis is supported by radiographic evidence of osteoarthritis of the knee (e.g., joint space narrowing, subchondral sclerosis, osteophytes and sub-chondral cysts) or the member has at least 5 of the following signs and symptoms:
    1. Bony enlargement
    2. Bony tenderness
    3. Crepitus (noisy, grating sound) on active motion
    4. Erythrocyte sedimentation rate (ESR) less than 40 mm/hr
    5. Less than 30 minutes of morning stiffness
    6. No palpable warmth of synovium
    7. Over 50 years of age
    8. Rheumatoid factor less than 1:40 titer (agglutination method)
    9. Synovial fluid signs (clear fluid of normal viscosity and WBC less than 2000/mm<sup>3</sup>)
  - B. The member has knee pain which interferes with functional activities (e.g., ambulation, prolonged standing).
  - C. The member has experienced an inadequate response or adverse effects with non-pharmacologic treatment options (e.g., physical therapy, regular exercise, insoles, knee bracing, weight reduction).
  - D. The member has experienced an inadequate response or intolerance or has a contraindication to a trial of an analgesic (e.g., acetaminophen up to 3 to 4 grams per day, non-steroidal anti-inflammatory drugs [NSAIDs], topical capsaicin cream) for at least 3 months.
  - E. The member has experienced an inadequate response or intolerance or has a contraindication to a trial of intraarticular steroid injections for at least 3 months.
  - F. The member is not scheduled to undergo a total knee replacement within 6 months of starting treatment.

#### Continuation of Therapy

- I. Authorization of 12 months may be granted for continued treatment of osteoarthritis in the knee when all of the following criteria are met:
- A. Member meets all criteria for initial approval
  - B. Member has experienced improvement in pain and functional capacity following the previous injections.
  - C. At least 6 months has elapsed since the last injection in the prior completed series of injections.

Intra-articular hyaluronan injections are considered **not medically necessary** for patients who do not meet the criteria set forth above.

#### Dosing and Administration

Approvals may be subject to age and dosing limits in accordance with FDA-approved labeling, accepted compendia, and/or evidence-based practice guidelines.

Quantity limits apply:

Synvisc-One: 1 injection (6 mL each; 6 mL total) per 180 day course  
Synvisc: 3 injections (2 mL each; 6 mL total) per 180 day course  
Hyalgan: 3 to 5 injections (2 mL each; 10 mL total) per 180 day course  
Hymovis: 2 injections (3 mL each; 6 mL total) per 180 day course  
Euflexxa: 3 injections (2 mL each; 6 mL total) per 180 day course  
Gel-One: 1 injection (3 mL each; 3 mL total) per 180 day course  
Gelsyn-3: 3 injections (2 mL each, 6 mL total) per 180 day course  
GenVisc 850: 3 to 5 injections (2.5 mL each; 12.5 mL total) per 180 day course  
Monovisc: 1 injection (4 mL each, 4 mL total) per 180 day course  
Orthovisc: 3 or 4 injections (2 mL each; 8 mL total) per 180 day course  
sodium hyaluronate inj 20mg/2mL: 3 injections per 180 day course  
Supartz FX: 3 to 5 injections (2.5 mL each; 12.5 mL total) per 180 day course  
Synjojoynt: 3 injections per 180 day course  
Triluron: 3 injections (2 mL each; 6 mL total) per 180 day course  
Durolane: 1 injection (3 mL each, 3 mL total) per course  
TriVisc: 3 injections (2.5 mL each, 7.5 mL total) per 180 day course  
Visco-3: 3 injections (2.5 mL each, 7.5 mL total) per course

## PROCEDURES AND BILLING CODES

***To report provider services, use appropriate CPT\* codes, Alpha Numeric (HCPCS level 2) codes, Revenue codes, and/or ICD diagnostic codes.***

- J7320 GenVisc 850, inj, 1mg
- J7321 Hyaluronan or derivative, hyalgan, supartz or visco-3, for intra-articular injection, per dose
- J7322 Hyaluronan or derivative, Hymovis, for intra-articular injection, per 1mg
- J7323 Hyaluronan or derivative, Euflexxa, for intra-articular injection, per dose
- J7324 Hyaluronan or derivative, Orthovisc, for intra-articular injection, per dose
- J7325 Hyaluronan or derivative, Synvisc or Synvisc One®, for intra-articular injection, 1mg
- J7326 Hyaluronan or derivative, Gel-One, for intra-articular injection, per dose
- J7327 Hyaluronan or derivative, Monovisc, for intra-articular injection, per dose
- J7328 Hyaluronan or derivative, Gelsyn-3, for intra-articular injection, per 0.1mg
- J7329 Hyaluronan or derivative, TriVisc, for intra-articular injection, per 1mg
- J7318 Hyaluronan or derivative, Durolane, for intra-articular injection, per 1mg
- J3490 Unclassified drugs (sodium hyaluronate inj 20mg/2mL)
- J7331 Hyaluronan or derivative, Synjojoynt, for intra-articular injection, 1 mg
- J7332 Hyaluronan or derivative, Triluron, for intra-articular injection, 1 mg
- J7333 Hyaluronan or derivative, Visco-3, for intra-articular injection, per dose (cancelled 04/01/2021)

## REFERENCES

- Durolane [package insert]. Durham, NC: Bioventus, LLC; September 2017.
- Euflexxa [package insert]. Parsippany, NJ: Ferring Pharmaceuticals, Inc.; July 2016.
- Gel-One [package insert]. Warsaw, IN: Zimmer, Inc.; May 2011.
- Gelsyn-3 [package insert]. Durham, NC: Bioventus LLC; December 2017.
- GenVisc 850 [package insert]. Doylestown, PA: OrthogenRx, Inc.; September 2015.
- Hyalgan [package insert]. Parsippany, NJ: Fidia Pharma USA Inc.; May 2014.
- Hymovis [package insert]. Parsippany, NJ: Fidia Pharma USA Inc.; October 2015.

- Monovisc [package insert]. Bedford, MA: Anika Therapeutics, Inc.; December 2013.
- Orthovisc [package insert]. Raynham, MA: DePuy Mitek, Inc.; June 2005.
- Supartz FX [package insert]. Durham, NC: Bioventus LLC; April 2015.
- Synjoynt [package insert]. North Wales, PA: Teva Pharmaceuticals USA, Inc.; March 2019.
- Synvisc [package insert]. Ridgefield, NJ: Genzyme Biosurgery; September 2014.
- Synvisc One [package insert]. Ridgefield, NJ: Genzyme Biosurgery; September 2014.
- Synjoynt [package insert]. Teva Pharmaceuticals USA, Inc. Parsippany, NJ. May 2018.
- Triluron [prescribing information]. Fidia Pharma USA Inc. Florham Park, NJ. March 2019.
- Trivisc [package insert]. Doylestown, PA: OrthogenRX; September 2018.
- Visco-3 [package insert]. Bioventus LLC. Durham, NC. December 2015.
- 1% Sodium Hyaluronate [package insert]. North Wales, PA: Teva Pharmaceuticals USA, Inc.; March 2019.
- Jordan KM, Arden NK, Doherty M, et al. EULAR recommendations 2003: an evidence based approach to the management of knee osteoarthritis: report of a task force of the standing committee for international clinical studies including therapeutic trials (ESCISIT). *Ann Rheum Dis.* 2003;62:1145-1155.
- Hochberg MC, Altman RD, April KT, et al. American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. *Arthritis Care Res.* 2012;64(4):465-474.
- Brander VA, Gomberawalla A, Chambers M, et al. Efficacy and safety of hylan G-F 20 for symptomatic glenohumeral osteoarthritis: a prospective, pilot study. *PM R.* 2010;2(4):259-267.
- Brocq O, Tran G, Breuil V, et al. Hip osteoarthritis: short-term efficacy and safety of viscosupplementation by Hylan G-F 20. An open-label study in 22 patients. *Joint Bone Spine.* 2002;69:388-391.
- Caglar-Yagci H, Unsal S, Yagci I, et al. Safety and efficacy of ultrasound-guided intra-articular hylan G-F injection in osteoarthritis of the hip: a pilot study. *Rheumatol Int.* 2005;25:341-344.
- Conrozier T, Bertin P, Mathieu P, et al. Intra-articular injections of hylan G-F 20 in patients with symptomatic hip osteoarthritis: an open-label, multicenter, pilot study. *Clin Exp Rheumatol.* 2003;21:605-610.
- Migliore A, Tormenta S, Massafra U, et al. Intra-articular administration of hylan G-F 20 in patients with symptomatic hip osteoarthritis: tolerability and effectiveness in a large cohort study in clinical practice. *Curr Med Res Opin.* 2008;24(5):1309-1316.
- Neustadt DH. Intra-articular injections for osteoarthritis of the knee. *Cleve Clin J Med.* 2006;73(10):897-911.
- Qvistgaard E, Christensen R, Torp-Pedersen S, et al. Intra-articular treatment of hip osteoarthritis: a randomized trial of hyaluronic acid, corticosteroid, and isotonic saline. *Osteoarthritis Cartilage.* 2006;14(2):163-170.
- Vad VB, Sakalkale D, Sculco TP, et al. Role of hylan G-F 20 in treatment of osteoarthritis of the hip joint. *Arch Phys Med Rehabil.* 2003;84:1224-1226.
- van den Bekerom MP, Lamme B, Sermon A, et al. What is the evidence for viscosupplementation in the treatment of patients with hip osteoarthritis? Systematic review of the literature. *Arch Orthop Trauma Surg.* 2008;128(8):815-823.
- Zhang W, Moskowitz RW, Nuki G, et al. OARSI recommendations for the management of hip and knee osteoarthritis, Part II: OARSI evidence-based, expert consensus guidelines. *Osteoarthritis Cartilage.* 2008;16(2):137-162.
- McAlindon TE, Bannuru RR, Sullivan MC, et al. OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage.* 2014;22(3):363-88.
- Kolasinski SL, Tuhina N, Hochberg MC, et al. 2019 American College of Rheumatology/Arthritis Foundation Guidelines for the management of osteoarthritis of the hand, hip, and knee. *Arthritis Rheumatol.* 2020 Jan 6. doi: 10.1002/art.41142. [Epub ahead of print]
- Bannuru RR, Osani MC, Vaysbrot EE, et al. OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. *Osteoarthritis Cartilage.* 2019;27(11):1578-1589.

- Scali JJ. Intra-articular hyaluronic acid in the treatment of osteoarthritis of the knee: a long term study. *Eur J Rheumatol Inflamm.* 1995;15(1):57-62.

\*Some content reprinted from CVSHealth

## POLICY HISTORY

**Policy #:** 02.01.12

**Original Effective Date:** August 1998

**Reviewed:** February 2022

**Revised:** October 2021

**Current Effective Date:** January 1, 2022